Notice of Allowability	Application No.	Applicant(s)
	09/863,960	VICICH ET AL.
	Examiner	Art Unit
	Briggitte R. Hammond	2833
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
 This communication is responsive to 9/22/03. The allowed claim(s) is/are 1-45. The drawings filed on are accepted by the Examiner. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). All b)		
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
8. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No. (b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1⊠ Notice of References Cited (PTO-892)	5⊡ Notice of Informal Pa	itent Application (PTO-152)
 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No. 	- 1	PTO-413), Paper No
	^{3),} 7□ Examiner's Amendm	ent/Comment
4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Statemer 9□ Other	nt of Reasons for Allowance

Allowable Subject Matter

Claims 1-45 are allowed.

The following is an examiner's statement of reasons for allowance: regarding claims 1,9,12,16 and 26, patentability resides, at least in part, in the first and second plurality of fingers being capable of being selectively and independently manipulated such that some of the fingers electrically connect a respective one of the first and second electrically conducting/ground plates to a corresponding one of the conducting members and others of the plurality of fingers do not electrically connect a respective one of the conducting plates to a corresponding one of the plurality of electrically conducting members, in combination with the other limitations of the base claim; regarding claims 32, patentability resides, at least in part, in the connector having first and second rows of conducting members within a housing, two conductive plates opposite each other on opposite surfaces of the housing, wherein a first group of rows of electrically conducting members are electrically connected to at least one of the conductive plates and a second group of rows of conducting are not electrically connect to either of the conducting plates, in combination with the other limitations of the base claim and regarding claim 39, patentability resides, at least in part in the first group of first and second rows of conducting members are electrically connected to ground at an "outer portion" of the housing and the second group of rows of conducting members not being connected to ground to transmit signals through the connector, in combination with the other limitations of the base claim.

Application/Control Number: 09/863,960

Art Unit: 2833

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. Roath et al. 6,241,531 and Lloyd et al. 6,273,758 were cited for

configurable ground contacts.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Briggitte R. Hammond whose telephone number is 703-

305-0032. The examiner can normally be reached on Monday-Thursday and Alternate

Fridays from 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Paula A Bradley can be reached on 703-308-2319. The fax phone number

for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

0956.

Briggitte Hammond

December 11, 2003

P. AUSTIN BRADLEY

SUPERVISORY PATEUT EXTRACTOR

TECHNOLOGY OF FALL 2000

Page 3